



# 背托環 BRT

油壓墊片用

產品介紹：高壓環境中，為防止 O 環擠出會使用背托環，支撐 O 環並防止 O 環因受壓變形而擠出槽外，通常安裝在 O 環槽一側或兩側。

也可支撐油封，除補足其溝槽寬度，更可以增加油封其壓力程度，背托環安裝油封溝槽的另一側。

材 質：鐵氟龍 / PTFE / 聚四氟乙烯

溫度範圍：-55~220 °C

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
P-2	2	5	1.25
P-3	3	6	1.25
P-4	4	7	1.25
P-5	5	8	1.25
P-6	6	9	1.25
P-7	7	10	1.25
P-8	8	11	1.25
P-9	9	12	1.25
P-10	10	13	1.25
P-10A	10	14	1.25
P-11	11	15	1.25
P-11.2	11.2	15.2	1.25
P-12	12	16	1.25
P-12.5	12.5	16.5	1.25
P-14	14	18	1.25
P-15	15	19	1.25
P-16	16	20	1.25
P-18	18	22	1.25
P-20	20	24	1.25
P-21	21	25	1.25
P-22	22	26	1.25

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
P-22A	22	28	1.25
P-22.4	22.4	28.4	1.25
P-24	24	30	1.25
P-25	25	31	1.25
P-25.5	25.5	31.5	1.25
P-26	26	32	1.25
P-28	28	34	1.25
P-29	29	35	1.25
P-29.5	29.5	35.5	1.25
P-30	30	36	1.25
P-31	31	37	1.25
P-31.5	31.5	37.5	1.25
P-32	32	38	1.25
P-34	34	40	1.25
P-35	35	41	1.25
P-35.5	35.5	41.5	1.25
P-36	36	42	1.25
P-38	38	44	1.25
P-39	39	45	1.25
P-40	40	46	1.25
P-41	41	47	1.25

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
P-42	42	48	1.25
P-44	44	50	1.25
P-45	45	51	1.25
P-46	46	52	1.25
P-48	48	54	1.25
P-49	49	55	1.25
P-50	50	56	1.25
P-48A	48	58	1.9
P-50A	50	60	1.9
P-52	52	62	1.9
P-53	53	63	1.9
P-55	55	65	1.9
P-56	56	66	1.9
P-58	58	68	1.9
P-60	60	70	1.9
P-62	62	72	1.9
P-63	63	73	1.9
P-65	65	75	1.9
P-67	67	77	1.9
P-70	70	80	1.9
P-71	71	81	1.9
P-75	75	85	1.9
P-80	80	90	1.9
P-85	85	95	1.9
P-90	90	100	1.9
P-95	95	105	1.9
P-100	100	110	1.9
P-102	102	112	1.9
P-105	105	115	1.9
P-110	110	120	1.9
P-112	112	122	1.9
P-115	115	125	1.9
P-120	120	130	1.9
P-125	125	135	1.9
P-130	130	140	1.9
P-132	132	142	1.9
P-135	135	145	1.9
P-140	140	150	1.9
P-145	145	155	1.9
P-150	150	160	1.9
P-150A	150	165	2.75

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
P-155	155	170	2.75
P-160	160	175	2.75
P-165	165	180	2.75
P-170	170	185	2.75
P-175	175	190	2.75
P-180	180	195	2.75
P-185	185	200	2.75
P-190	190	205	2.75
P-195	195	210	2.75
P-200	200	215	2.75
P-205	205	220	2.75
P-209	209	224	2.75
P-210	210	225	2.75
P-215	215	230	2.75
P-220	220	235	2.75
P-225	225	240	2.75
P-230	230	245	2.75
P-235	235	250	2.75
P-240	240	255	2.75
P-245	245	260	2.75
P-250	250	265	2.75
P-255	255	270	2.75
P-260	260	275	2.75
P-265	265	280	2.75
P-270	270	285	2.75
P-275	275	290	2.75
P-280	280	295	2.75
P-285	285	300	2.75
P-290	290	305	2.75
P-295	295	310	2.75
P-300	300	315	2.75
P-305	305	320	2.75
P-310	310	325	2.75
P-315	315	330	2.75
P-320	320	335	2.75
P-325	325	340	2.75
P-330	330	345	2.75
P-335	335	350	2.75
P-340	340	355	2.75
P-345	345	360	2.75
P-350	350	365	2.75



編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-001	0.79	2.44	1.27
AS-002	1.18	3.28	1.27
AS-003	1.58	4.14	1.27
AS-004	1.98	5.14	1.27
AS-005	2.38	5.54	1.27
AS-006	3.17	6.33	1.27
AS-007	3.57	6.73	1.27
AS-008	4.36	7.52	1.27
AS-009	5.15	8.31	1.27
AS-010	6.35	9.52	1.27
AS-011	7.93	11.09	1.27
AS-012	9.52	12.68	1.27
AS-013	11.11	14.27	1.27
AS-014	12.70	15.86	1.27
AS-015	14.28	17.44	1.27
AS-016	15.88	19.04	1.27
AS-017	17.46	20.62	1.27
AS-018	19.05	22.21	1.27
AS-019	20.63	23.79	1.27
AS-020	22.22	25.31	1.27
AS-021	23.80	26.96	1.27
AS-022	25.40	28.56	1.27
AS-023	26.98	30.14	1.27
AS-024	28.57	31.73	1.27
AS-025	30.16	33.32	1.27
AS-026	31.75	34.91	1.27
AS-027	33.35	36.51	1.27
AS-028	34.92	38.08	1.27
AS-029	38.10	41.26	1.27
AS-030	41.27	44.43	1.27
AS-031	44.45	47.61	1.27
AS-032	47.62	50.78	1.27
AS-033	50.80	53.96	1.27
AS-034	53.97	57.13	1.27
AS-035	57.15	60.31	1.27
AS-036	60.32	63.48	1.27
AS-037	63.50	66.66	1.27
AS-038	66.67	69.83	1.27
AS-039	69.85	73.01	1.27
AS-040	73.02	76.18	1.27
AS-041	76.20	79.36	1.27

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-042	82.55	85.71	1.27
AS-043	88.90	92.06	1.27
AS-044	95.25	98.41	1.27
AS-045	101.60	104.76	1.27
AS-046	107.95	111.11	1.27
AS-047	114.30	117.46	1.27
AS-048	120.65	123.78	1.27
AS-049	127.00	130.16	1.27
AS-050	133.35	136.51	1.27
AS-102	1.58	6.34	1.27
AS-103	2.38	7.14	1.27
AS-104	3.17	7.93	1.27
AS-105	3.96	8.72	1.27
AS-106	4.76	9.52	1.27
AS-107	5.16	9.92	1.27
AS-108	6.35	11.11	1.27
AS-109	7.93	12.69	1.27
AS-110	9.52	14.28	1.27
AS-111	11.11	15.87	1.27
AS-112	12.70	17.46	1.27
AS-113	14.28	19.03	1.27
AS-114	15.88	20.64	1.27
AS-115	17.46	22.22	1.27
AS-116	19.05	23.81	1.27
AS-117	20.63	25.40	1.27
AS-118	22.22	26.98	1.27
AS-119	23.80	28.56	1.27
AS-120	25.40	30.16	1.27
AS-121	26.98	31.74	1.27
AS-122	28.57	33.33	1.27
AS-123	30.16	34.92	1.27
AS-124	31.75	36.51	1.27
AS-125	33.35	38.11	1.27
AS-126	34.95	39.71	1.27
AS-127	36.53	41.29	1.27
AS-128	38.10	42.86	1.27
AS-129	39.68	44.44	1.27
AS-130	41.25	46.01	1.27
AS-131	42.86	47.62	1.27
AS-132	44.45	49.21	1.27
AS-133	46.03	50.79	1.27

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-134	47.62	52.38	1.27
AS-135	49.21	53.97	1.27
AS-136	50.80	55.56	1.27
AS-137	52.38	57.14	1.27
AS-138	53.97	58.73	1.27
AS-139	55.56	60.32	1.27
AS-140	57.15	61.91	1.27
AS-141	58.73	63.49	1.27
AS-142	60.32	65.08	1.27
AS-143	61.91	66.67	1.27
AS-144	63.50	68.26	1.27
AS-145	65.08	69.84	1.27
AS-146	66.67	71.43	1.27
AS-147	68.26	73.02	1.27
AS-148	69.85	74.61	1.27
AS-149	71.43	76.19	1.27
AS-150	73.02	77.78	1.27
AS-151	76.20	80.96	1.27
AS-152	82.55	87.31	1.27
AS-153	88.90	93.66	1.27
AS-154	95.25	100.01	1.27
AS-155	101.60	106.36	1.27
AS-156	107.95	112.71	1.27
AS-157	114.30	119.06	1.27
AS-158	120.65	125.41	1.27
AS-159	127.00	131.76	1.27
AS-160	133.35	138.11	1.27
AS-161	139.70	144.46	1.27
AS-162	146.05	150.81	1.27
AS-163	152.40	157.16	1.27
AS-164	158.75	163.51	1.27
AS-165	165.10	169.86	1.27
AS-166	171.45	176.21	1.27
AS-167	177.80	182.56	1.27
AS-168	184.15	188.91	1.27
AS-169	190.5	195.26	1.27
AS-170	196.85	201.61	1.27
AS-171	203.2	207.96	1.27
AS-172	209.55	214.31	1.27
AS-173	215.9	220.66	1.27
AS-174	222.25	227.01	1.27

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-175	228.6	233.36	1.27
AS-176	234.95	239.71	1.27
AS-177	241.3	246.06	1.27
AS-178	247.65	252.41	1.27
AS-201	4.76	11.11	1.27
AS-202	6.35	12.7	1.27
AS-203	7.93	14.28	1.27
AS-204	9.52	15.87	1.27
AS-205	11.11	17.46	1.27
AS-206	12.7	19.05	1.27
AS-207	14.28	20.63	1.27
AS-208	15.87	22.22	1.27
AS-209	17.46	23.81	1.27
AS-210	19.05	25.4	1.27
AS-211	20.63	26.98	1.27
AS-212	22.22	28.57	1.27
AS-213	23.81	30.16	1.27
AS-214	25.4	31.75	1.27
AS-215	26.98	33.33	1.27
AS-216	28.57	34.92	1.27
AS-217	30.16	36.51	1.27
AS-218	31.76	38.11	1.27
AS-219	33.33	39.68	1.27
AS-220	34.92	41.27	1.27
AS-221	36.51	42.86	1.27
AS-222	38.1	44.45	1.27
AS-223	41.27	47.62	1.27
AS-224	44.45	50.8	1.27
AS-225	47.62	53.97	1.27
AS-226	50.8	57.15	1.27
AS-227	53.97	60.32	1.27
AS-228	57.15	63.5	1.27
AS-229	60.32	66.67	1.27
AS-230	63.50	69.85	1.27
AS-231	66.67	73.02	1.27
AS-232	69.85	76.20	1.27
AS-233	73.02	79.37	1.27
AS-234	76.20	82.55	1.27
AS-235	79.37	85.72	1.27
AS-236	82.55	88.90	1.27
AS-237	85.72	92.07	1.27

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-238	88.90	95.25	1.27
AS-239	92.07	98.42	1.27
AS-240	95.25	101.60	1.27
AS-241	98.42	104.77	1.27
AS-242	101.60	107.95	1.27
AS-243	104.77	111.12	1.27
AS-244	107.95	114.30	1.27
AS-245	111.12	117.47	1.27
AS-246	114.30	120.65	1.27
AS-247	117.47	123.82	1.27
AS-248	120.65	127.00	1.27
AS-249	123.82	130.17	1.27
AS-250	127.00	133.35	1.27
AS-251	130.17	136.52	1.27
AS-252	133.35	139.70	1.27
AS-253	136.52	142.87	1.27
AS-254	139.70	146.05	1.27
AS-255	142.87	149.22	1.27
AS-256	146.05	152.40	1.27
AS-257	149.22	155.57	1.27
AS-258	152.40	158.75	1.27
AS-259	158.75	165.10	1.27
AS-260	165.10	171.45	1.27
AS-261	171.45	177.80	1.27
AS-262	177.80	184.15	1.27
AS-263	184.15	190.50	1.27
AS-264	190.50	196.85	1.27
AS-265	196.85	203.20	1.27
AS-266	203.20	209.55	1.27
AS-267	209.55	215.90	1.27
AS-268	215.90	222.25	1.27
AS-269	222.25	228.6	1.27
AS-270	228.6	234.95	1.27
AS-271	234.95	241.3	1.27
AS-272	241.3	247.65	1.27
AS-273	247.65	254	1.27
AS-274	254	260.35	1.27
AS-275	266.7	273.05	1.27
AS-276	279.4	285.75	1.27
AS-277	292.1	298.45	1.27
AS-278	304.8	311.15	1.27

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-279	330.2	339.55	1.27
AS-280	355.6	361.95	1.27
AS-281	381	387.35	1.27
AS-282	406.4	412.75	1.27
AS-283	431.8	438.15	1.27
AS-284	457.2	463.55	1.27
AS-309	11.11	20.6	1.85
AS-310	12.7	22.22	1.85
AS-311	14.28	23.8	1.85
AS-312	15.87	25.39	1.85
AS-313	17.46	26.98	1.85
AS-314	19.05	28.57	1.85
AS-315	20.63	30.15	1.85
AS-316	22.22	31.74	1.85
AS-317	23.81	33.33	1.85
AS-318	25.4	34.92	1.85
AS-319	26.98	36.5	1.85
AS-320	28.57	38.09	1.85
AS-321	30.16	39.68	1.85
AS-322	31.75	41.27	1.85
AS-323	33.33	42.85	1.85
AS-324	34.92	44.47	1.85
AS-325	38.1	47.62	1.85
AS-326	41.27	50.79	1.85
AS-327	44.45	53.97	1.85
AS-328	47.62	57.14	1.85
AS-329	50.8	60.32	1.85
AS-330	53.97	63.49	1.85
AS-331	57.15	66.67	1.85
AS-332	60.32	69.84	1.85
AS-333	63.50	73.02	1.85
AS-334	66.67	76.19	1.85
AS-335	69.85	79.37	1.85
AS-336	73.02	82.54	1.85
AS-337	76.20	85.72	1.85
AS-338	79.37	88.89	1.85
AS-339	82.55	92.07	1.85
AS-340	85.72	95.24	1.85
AS-341	88.90	98.42	1.85
AS-342	92.07	101.59	1.85
AS-343	95.25	104.77	1.85

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-344	98.42	107.94	1.85
AS-345	101.60	111.12	1.85
AS-346	104.77	114.29	1.85
AS-347	107.95	117.47	1.85
AS-348	111.12	120.64	1.85
AS-349	114.30	123.82	1.85
AS-350	117.47	126.99	1.85
AS-351	120.65	130.17	1.85
AS-352	123.82	133.34	1.85
AS-353	127.00	136.52	1.85
AS-354	130.17	139.69	1.85
AS-355	133.35	142.87	1.85
AS-356	136.52	146.04	1.85
AS-357	139.70	149.22	1.85
AS-358	142.87	152.29	1.85
AS-359	146.05	155.57	1.85
AS-360	149.22	158.74	1.85
AS-361	152.40	161.92	1.85
AS-362	158.75	168.27	1.85
AS-363	165.10	174.62	1.85
AS-364	171.45	180.97	1.85
AS-365	177.80	187.32	1.85
AS-366	184.15	193.67	1.85
AS-367	190.50	200.02	1.85
AS-368	196.85	206.37	1.85
AS-369	203.20	212.72	1.85
AS-370	209.55	219.07	1.85
AS-371	215.9	225.42	1.85
AS-372	222.25	231.77	1.85
AS-373	228.6	238.12	1.85
AS-374	234.95	244.47	1.85
AS-375	241.3	250.82	1.85
AS-376	247.65	257.17	1.85
AS-377	254	263.52	1.85
AS-378	266.7	276.22	1.85
AS-379	279.4	288.92	1.85
AS-380	292.1	301.62	1.85
AS-381	304.8	314.32	1.85
AS-382	330.2	339.72	1.85
AS-383	355.6	365.12	1.85
AS-384	381	390.52	1.85

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
AS-385	406.4	415.92	1.85
AS-386	431.8	441.32	1.85
AS-387	457.2	466.72	1.85
AS-388	482.6	492.12	1.85
AS-389	508	517.52	1.85
AS-390	533.4	542.92	1.85
AS-391	558.8	568.32	1.85
AS-392	584.2	593.72	1.85
AS-393	609.6	619.12	1.85
AS-394	635	644.52	1.85
AS-395	660.4	669.92	1.85
AS-425	114.3	127	2.65
AS-426	117.47	130.17	2.65
AS-427	120.65	133.35	2.65
AS-428	123.82	136.52	2.65
AS-429	127	139.7	2.65
AS-430	130.17	142.87	2.65
AS-431	133.35	146.05	2.65
AS-432	136.52	149.22	2.65
AS-433	139.7	152.4	2.65
AS-434	142.87	155.57	2.65
AS-435	146.05	158.75	2.65
AS-436	149.22	161.92	2.65
AS-437	152.4	165.1	2.65
AS-438	158.75	171.45	2.65
AS-439	165.10	177.80	2.65
AS-440	171.45	184.15	2.65
AS-441	177.80	190.50	2.65
AS-442	184.15	198.85	2.65
AS-443	190.50	203.32	2.65
AS-444	196.85	209.55	2.65
AS-445	203.20	215.90	2.65
AS-446	215.90	228.60	2.65
AS-447	228.60	241.30	2.65
AS-448	241.30	254.00	2.65
AS-449	254.00	266.70	2.65
AS-450	266.70	279.40	2.65
AS-451	279.40	292.10	2.65
AS-452	292.10	304.80	2.65
AS-453	304.80	317.50	2.65
AS-454	317.50	330.20	2.65







編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	6.3	14.3	2
BRT	6.3	16.3	2
BRT	7.1	17.1	2
BRT	8	16	2
BRT	8	18	2
BRT	9	17	2
BRT	9	18	2
BRT	10	18	2
BRT	10	20	2
BRT	11.2	19.2	2
BRT	11.2	21.2	2
BRT	12.5	20.5	2
BRT	12.5	22.5	2
BRT	14	22	2
BRT	14	24	2
BRT	15	23	2
BRT	15	25	2
BRT	15	28	2
BRT	16	24	2
BRT	16	26	2
BRT	18	26	2
BRT	18	28	2
BRT	18	31	2
BRT	20	28	2
BRT	20	30	2
BRT	20	30	3
BRT	20	33	2
BRT	20	35	2
BRT	20	35	3
BRT	22.4	30	2
BRT	22.4	32.4	2
BRT	22.4	35.4	2
BRT	23.5	31.5	2
BRT	24	32	2
BRT	25	33	2
BRT	25	33	3
BRT	25	35	2
BRT	25	35	3
BRT	25	38	2
BRT	25	40	3
BRT	27	35	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	27	40	2
BRT	27.5	35.5	2
BRT	28	35.5	2
BRT	28	35.5	3
BRT	28	36	2
BRT	28	43	2
BRT	30	40	1.5
BRT	30	40	2
BRT	30	40	3
BRT	30	43	2
BRT	30	43	3
BRT	30	45	2
BRT	30	45	3
BRT	31.5	41.5	2
BRT	31.5	44.5	2
BRT	31.5	46.5	2
BRT	32	42	2
BRT	32	42	3
BRT	32	48	3
BRT	34	50	2
BRT	35	43	2
BRT	35	45	1.5
BRT	35	45	2
BRT	35	45	3
BRT	35	50	2
BRT	35	50	3
BRT	35.5	43.5	2
BRT	35.5	45	2
BRT	35.5	50.5	2
BRT	35.5	51.5	2
BRT	38	48	2
BRT	38	48	3
BRT	38	52	2
BRT	40	48	2
BRT	40	50	1.5
BRT	40	50	2
BRT	40	50	3
BRT	40	55	2
BRT	40	55	3
BRT	40	56	2
BRT	40	60	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	40	60	3
BRT	41	56	2
BRT	45	53	2
BRT	45	55	1.5
BRT	45	55	2
BRT	45	55	3
BRT	45	56	2
BRT	45	56	3
BRT	45	60	2
BRT	45	60	3
BRT	45	61	2
BRT	46	60	2
BRT	47	63	2
BRT	47	63	3
BRT	48	63	2
BRT	48	63	3
BRT	50	58	2
BRT	50	58	3
BRT	50	60	1.5
BRT	50	60	2
BRT	50	60	3
BRT	50	65	2
BRT	50	65	3
BRT	50	66	2
BRT	50	66	3
BRT	50	70	2
BRT	50	70	3
BRT	50	71	2
BRT	50	71	3
BRT	51	71	2
BRT	51	71	3
BRT	53	61	2
BRT	53	61	3
BRT	53	63	2
BRT	53	63	3
BRT	53	69	2
BRT	53	69	3
BRT	53	73	2
BRT	53	73	3
BRT	55	63	2
BRT	55	63	3

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	55	65	1.5
BRT	55	65	2
BRT	55	65	3
BRT	55	70	2
BRT	55	70	3
BRT	55	71	2
BRT	55	71	3
BRT	55	75	2
BRT	55	75	3
BRT	56	64	2
BRT	56	64	3
BRT	56	66	2
BRT	56	66	3
BRT	56	71	2
BRT	56	71	3
BRT	56	72	2
BRT	56	72	3
BRT	56	76	2
BRT	56	76	3
BRT	58	68	2
BRT	58	68	3
BRT	60	68	2
BRT	60	68	3
BRT	60	70	1.5
BRT	60	70	2
BRT	60	70	3
BRT	60	71	2
BRT	60	71	3
BRT	60	75	2
BRT	60	75	3
BRT	60	76	2
BRT	60	76	3
BRT	60	80	2
BRT	60	80	3
BRT	61	71	2
BRT	61	71	3
BRT	63	71	2
BRT	63	71	3
BRT	63	73	2
BRT	63	73	3
BRT	63	78	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	63	78	3
BRT	63	83	2
BRT	63	83	3
BRT	64	80	2
BRT	64	80	3
BRT	65	73	2
BRT	65	73	3
BRT	65	75	1.5
BRT	65	75	2
BRT	65	75	3
BRT	65	80	2
BRT	65	80	3
BRT	65	85	2
BRT	65	85	3
BRT	67	75	2
BRT	67	75	3
BRT	67	77	2
BRT	67	77	3
BRT	67	82	2
BRT	67	82	3
BRT	67	87	2
BRT	67	87	3
BRT	70	80	1.5
BRT	70	80	2
BRT	70	80	3
BRT	70	85	2
BRT	70	85	3
BRT	70	90	2
BRT	70	90	3
BRT	71	80	2
BRT	71	80	3
BRT	71	81	2
BRT	71	81	3
BRT	71	86	2
BRT	71	86	3
BRT	71	91	2
BRT	71	91	3
BRT	75	85	1.5
BRT	75	85	2
BRT	75	85	3
BRT	75	90	1.5

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	75	90	2
BRT	75	90	3
BRT	75	95	1.5
BRT	75	95	2
BRT	75	95	3
BRT	80	90	1.5
BRT	80	90	2
BRT	80	90	3
BRT	80	95	1.5
BRT	80	95	2
BRT	80	95	3
BRT	80	100	1.5
BRT	80	100	2
BRT	80	100	3
BRT	85	95	1.5
BRT	85	95	2
BRT	85	95	3
BRT	85	100	1.5
BRT	85	100	2
BRT	85	100	3
BRT	85	105	1.5
BRT	85	105	2
BRT	85	105	3
BRT	90	100	1.5
BRT	90	100	2
BRT	90	100	3
BRT	90	105	1.5
BRT	90	105	2
BRT	90	105	3
BRT	90	110	1.5
BRT	90	110	2
BRT	90	110	3
BRT	92	112	2
BRT	92	112	3
BRT	95	110	1.5
BRT	95	110	2
BRT	95	110	3
BRT	95	115	1.5
BRT	95	115	2
BRT	95	115	3
BRT	98	112	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	98	112	3
BRT	100	115	1.5
BRT	100	115	2
BRT	100	115	3
BRT	100	120	1.5
BRT	100	120	2
BRT	100	120	3
BRT	105	120	2
BRT	105	120	3
BRT	105	125	2
BRT	105	125	3
BRT	106	120	2
BRT	106	120	3
BRT	106	121	2
BRT	106	121	3
BRT	106	126	2
BRT	106	126	3
BRT	110	125	1.5
BRT	110	125	2
BRT	110	125	3
BRT	110	130	1.5
BRT	110	130	2
BRT	110	130	3
BRT	112	125	1.5
BRT	112	125	2
BRT	112	125	3
BRT	112	127	2
BRT	112	127	3
BRT	112	132	2
BRT	112	132	3
BRT	115	130	1.5
BRT	115	130	2
BRT	115	130	3
BRT	115	135	1.5
BRT	115	135	2
BRT	115	135	3
BRT	118	132	2
BRT	118	132	3
BRT	118	138	2
BRT	118	138	3
BRT	120	135	1.5

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	120	135	2
BRT	120	135	3
BRT	120	140	1.5
BRT	120	140	2
BRT	120	140	3
BRT	125	140	2
BRT	125	140	3
BRT	125	145	2
BRT	125	145	3
BRT	125	150	2
BRT	125	150	3
BRT	130	145	2
BRT	130	145	3
BRT	130	150	2
BRT	130	150	3
BRT	132	152	2
BRT	132	152	3
BRT	132	157	2
BRT	132	157	3
BRT	135	150	2
BRT	135	150	3
BRT	135	155	2
BRT	135	155	3
BRT	135	160	2
BRT	135	160	3
BRT	136	150	2
BRT	136	150	3
BRT	140	155	2
BRT	140	155	3
BRT	140	160	2
BRT	140	160	3
BRT	140	165	2
BRT	140	165	3
BRT	145	160	2
BRT	145	160	3
BRT	145	165	2
BRT	145	165	3
BRT	145	170	2
BRT	145	170	3
BRT	150	165	2
BRT	150	165	3

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	150	170	2
BRT	150	170	3
BRT	150	175	2
BRT	150	175	3
BRT	155	170	2
BRT	155	170	3
BRT	155	180	2
BRT	155	180	3
BRT	160	175	2
BRT	160	175	3
BRT	160	180	2
BRT	160	180	3
BRT	160	185	2
BRT	160	185	3
BRT	165	180	2
BRT	165	180	3
BRT 特	165	180	4
BRT	165	190	2
BRT	165	190	3
BRT	170	185	2
BRT	170	185	3
BRT	170	190	2
BRT	170	190	3
BRT	170	195	2
BRT	170	195	3
BRT 特	170	195	4
BRT	175	190	2
BRT	175	190	3
BRT	175	200	2
BRT	175	200	3
BRT	180	200	2
BRT	180	200	3
BRT	180	205	2
BRT	180	205	3
BRT	185	210	2
BRT	185	210	3
BRT	190	210	2
BRT	190	210	3
BRT	190	215	2
BRT	190	215	3
BRT	195	220	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	195	220	3
BRT	199	219	2
BRT	199	219	3
BRT	199	224	2
BRT	199	224	3
BRT	200	220	2
BRT	200	220	3
BRT	200	225	2
BRT	200	225	3
BRT	204	224	2
BRT	204	224	3
BRT	205	225	2
BRT	205	225	3
BRT	210	230	2
BRT	210	230	3
BRT	210	235	2
BRT	210	235	3
BRT	212	237	2
BRT	212	237	3
BRT	215	240	2
BRT	215	240	3
BRT	220	240	2
BRT	220	240	3
BRT	220	245	2
BRT	220	245	3
BRT	224	237	2
BRT	224	237	3
BRT	224	244	2
BRT	224	244	3
BRT	224	249	2
BRT	224	249	3
BRT	225	245	2
BRT	225	245	3
BRT	225	250	2
BRT	225	250	3
BRT 特	225	250	4
BRT	230	250	2
BRT	230	250	3
BRT 特	230	250	4
BRT	230	255	2
BRT	230	255	3

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	230	255	4
BRT	235	260	2
BRT	235	260	3
BRT 特	235	260	4
BRT	236	261	2
BRT	236	261	3
BRT 特	236	261	4
BRT	240	260	2
BRT	240	260	3
BRT 特	240	260	4
BRT	240	265	2
BRT	240	265	3
BRT 特	240	265	4
BRT	245	270	2
BRT	245	270	3
BRT 特	245	270	4
BRT	250	270	2
BRT	250	270	3
BRT 特	250	270	4
BRT	250	275	2
BRT	250	275	3
BRT 特	250	275	4
BRT	250	280	2
BRT	250	280	3
BRT 特	250	280	4
BRT	255	280	2
BRT	255	280	3
BRT 特	255	280	4
BRT	260	285	2
BRT	260	285	3
BRT 特	260	285	4
BRT	260	290	2
BRT	260	290	3
BRT 特	260	290	4
BRT	265	290	2
BRT	265	290	3
BRT 特	265	290	4
BRT	265	295	2
BRT	265	295	3
BRT 特	265	295	4
BRT	270	295	2

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	270	295	3
BRT 特	270	295	4
BRT	270	295	5
BRT	270	300	2
BRT	270	300	3
BRT 特	270	300	4
BRT 特	270	300	5
BRT	275	300	2
BRT	275	300	3
BRT 特	275	300	4
BRT 特	275	300	5
BRT	280	305	2
BRT	280	305	3
BRT 特	280	305	4
BRT 特	280	305	5
BRT	280	310	2
BRT	280	310	3
BRT 特	280	310	4
BRT 特	280	310	5
BRT	280	312	2
BRT	280	312	3
BRT 特	280	312	4
BRT 特	280	312	5
BRT	290	315	2
BRT	290	315	3
BRT 特	290	315	4
BRT 特	290	315	5
BRT	290	320	2
BRT	290	320	3
BRT 特	290	320	4
BRT 特	290	320	5
BRT	300	325	2
BRT	300	325	3
BRT 特	300	325	4
BRT 特	300	325	5
BRT	300	330	2
BRT	300	330	3
BRT 特	300	330	4
BRT 特	300	330	5
BRT	300	332	2
BRT	300	332	3

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	300	332	4
BRT 特	300	332	5
BRT	310	340	3
BRT 特	310	340	4
BRT 特	310	340	5
BRT	315	345	3
BRT 特	315	345	4
BRT 特	315	345	5
BRT	315	347	3
BRT 特	315	347	4
BRT 特	315	347	5
BRT	320	340	3
BRT 特	320	340	4
BRT 特	320	340	5
BRT	320	350	3
BRT 特	320	350	4
BRT 特	320	350	5
BRT	320	360	3
BRT 特	320	360	4
BRT 特	320	360	5
BRT	323	355	3
BRT 特	323	355	4
BRT 特	323	355	5
BRT	330	360	3
BRT 特	330	360	4
BRT 特	330	360	5
BRT	330	370	3
BRT 特	330	370	4
BRT 特	330	370	5
BRT 特	330	370	6
BRT	335	355	3
BRT 特	335	355	4
BRT 特	335	355	5
BRT 特	335	355	6
BRT	335	367	3
BRT 特	335	367	4
BRT 特	335	367	5
BRT 特	335	367	6
BRT	340	360	3
BRT 特	340	360	4
BRT 特	340	360	5

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	340	360	6
BRT	340	370	3
BRT 特	340	370	4
BRT 特	340	370	5
BRT 特	340	370	6
BRT	345	365	3
BRT 特	345	365	4
BRT 特	345	365	5
BRT 特	345	365	6
BRT	350	370	3
BRT 特	350	370	4
BRT 特	350	370	5
BRT 特	350	370	6
BRT	350	380	3
BRT 特	350	380	4
BRT 特	350	380	5
BRT 特	350	380	6
BRT	350	390	3
BRT 特	350	390	4
BRT 特	350	390	5
BRT 特	350	390	6
BRT	355	385	3
BRT 特	355	385	4
BRT 特	355	385	5
BRT 特	355	385	6
BRT	360	390	3
BRT 特	360	390	4
BRT 特	360	390	5
BRT 特	360	390	6
BRT	365	395	3
BRT 特	365	395	4
BRT 特	365	395	5
BRT 特	365	395	6
BRT	368	400	3
BRT 特	368	400	4
BRT 特	368	400	5
BRT 特	368	400	6
BRT	370	400	3
BRT 特	370	400	4
BRT 特	370	400	5
BRT 特	370	400	6



編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT	371	396	3
BRT 特	371	396	4
BRT 特	371	396	5
BRT 特	371	396	6
BRT	375	405	3
BRT 特	375	405	4
BRT 特	375	405	5
BRT 特	375	405	6
BRT	380	400	3
BRT 特	380	400	4
BRT 特	380	400	5
BRT 特	380	400	6
BRT	380	410	3
BRT 特	380	410	4
BRT 特	380	410	5
BRT 特	380	410	6
BRT	380	420	3
BRT 特	380	420	4
BRT 特	380	420	5
BRT 特	380	420	6
BRT	385	415	3
BRT 特	385	415	4
BRT 特	385	415	5
BRT 特	385	415	6
BRT	390	420	3
BRT 特	390	420	4
BRT 特	390	420	5
BRT 特	390	420	6
BRT	395	425	3
BRT 特	395	425	4
BRT 特	395	425	5
BRT 特	395	425	6
BRT 特	400	425	3
BRT 特	400	425	4
BRT 特	400	425	5
BRT 特	400	425	6
BRT 特	400	430	3
BRT 特	400	430	4
BRT 特	400	430	5
BRT 特	400	430	6
BRT 特	400	432	3

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	400	432	4
BRT 特	400	432	5
BRT 特	400	432	6
BRT 特	400	445	3
BRT 特	400	445	4
BRT 特	400	445	5
BRT 特	400	445	6
BRT 特	405	440	3
BRT 特	405	440	4
BRT 特	405	440	5
BRT 特	405	440	6
BRT 特	405	445	3
BRT 特	405	445	4
BRT 特	405	445	5
BRT 特	405	445	6
BRT 特	410	445	3
BRT 特	410	445	4
BRT 特	410	445	5
BRT 特	410	445	6
BRT 特	410	460	3
BRT 特	410	460	4
BRT 特	410	460	5
BRT 特	410	460	6
BRT 特	415	450	3
BRT 特	415	450	4
BRT 特	415	450	5
BRT 特	415	450	6
BRT 特	420	455	3
BRT 特	420	455	4
BRT 特	420	455	5
BRT 特	420	455	6
BRT 特	425	457	3
BRT 特	425	457	4
BRT 特	425	457	5
BRT 特	425	457	6
BRT 特	430	460	3
BRT 特	430	460	4
BRT 特	430	460	5
BRT 特	430	460	6
BRT 特	430	465	3
BRT 特	430	465	4

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	430	465	5
BRT 特	430	465	6
BRT 特	430	470	3
BRT 特	430	470	4
BRT 特	430	470	5
BRT 特	430	470	6
BRT 特	431	457	3
BRT 特	431	457	4
BRT 特	431	457	5
BRT 特	431	457	6
BRT 特	435	470	3
BRT 特	435	470	4
BRT 特	435	470	5
BRT 特	435	470	6
BRT 特	440	470	3
BRT 特	440	470	4
BRT 特	440	470	5
BRT 特	440	470	6
BRT 特	440	475	3
BRT 特	440	475	4
BRT 特	440	475	5
BRT 特	440	475	6
BRT 特	440	480	3
BRT 特	440	480	4
BRT 特	440	480	5
BRT 特	440	480	6
BRT 特	445	470	3
BRT 特	445	470	4
BRT 特	445	470	5
BRT 特	445	470	6
BRT 特	450	475	3
BRT 特	450	475	4
BRT 特	450	475	5
BRT 特	450	475	6
BRT 特	450	480	3
BRT 特	450	480	4
BRT 特	450	480	5
BRT 特	450	480	6
BRT 特	450	485	3
BRT 特	450	485	4
BRT 特	450	485	5

編號 Code No.	內徑 d(-0.2)	外徑 D(-0.2)	高度 H(± 0.1)
BRT 特	450	485	6
BRT 特	460	500	3
BRT 特	460	500	4
BRT 特	460	500	5
BRT 特	460	500	6
BRT 特	475	507	3
BRT 特	475	507	4
BRT 特	475	507	5
BRT 特	475	507	6
BRT 特	475	510	3
BRT 特	475	510	4
BRT 特	475	510	5
BRT 特	475	510	6
BRT 特	480	505	3
BRT 特	480	505	4
BRT 特	480	505	5
BRT 特	480	505	6
BRT 特	490	530	3
BRT 特	490	530	4
BRT 特	490	530	5
BRT 特	490	530	6
BRT 特	520	550	3
BRT 特	520	550	4
BRT 特	520	550	5
BRT 特	520	550	6
BRT 特	525	555	3
BRT 特	525	555	4
BRT 特	525	555	5
BRT 特	525	555	6
BRT 特	530	570	3
BRT 特	530	570	4
BRT 特	530	570	5
BRT 特	530	570	6
BRT 特	540	560	3
BRT 特	540	560	4
BRT 特	540	560	5
BRT 特	540	560	6
BRT 特	570	600	3
BRT 特	570	600	4
BRT 特	570	600	5
BRT 特	570	600	6

