

X 型環

X-Ring Size List



材質	橡膠	橡膠(高壓)	氟橡膠(耐熱)	矽橡膠
	NBR70	NBR90	VT	SE

單位 unit : mm

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4004	1.78	5.34	1.78
X-4005	2.57	6.13	1.78
X-4006	2.9	6.46	1.78
X-4007	3.69	7.25	1.78
X-4008	4.47	8.03	1.78
X-4009	5.29	8.85	1.78
X-4010	6.07	9.63	1.78
X-4011	7.65	11.21	1.78
X-4012	9.25	12.81	1.78
X-4013	10.82	14.38	1.78
X-4014	12.42	15.98	1.78
X-4015	14	17.56	1.78
X-4016	15.6	19.16	1.78
X-4017	17.17	20.73	1.78
X-4018	18.77	22.33	1.78
X-4019	20.35	23.91	1.78
X-4020	21.95	25.51	1.78
X-4021	23.52	27.08	1.78
X-4022	25.12	28.68	1.78
X-4023	26.7	30.26	1.78
X-4024	28.3	31.86	1.78
X-4025	29.87	33.43	1.78
X-4026	31.47	35.03	1.78
X-4027	33.05	36.61	1.78
X-4028	34.65	38.21	1.78
X-4029	37.82	41.38	1.78
X-4030	41	44.56	1.78
X-4031	44.17	47.73	1.78
X-4032	47.35	50.91	1.78
X-4033	50.52	54.08	1.78
X-4034	53.7	57.26	1.78
X-4035	56.87	60.43	1.78
X-4036	60.04	63.6	1.78
X-4037	63.22	66.78	1.78
X-4038	66.4	69.96	1.78
X-4039	69.57	73.13	1.78
X-4040	72.75	76.31	1.78



X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4041	75.92	79.48	1.78
X-4042	82.27	85.83	1.78
X-4043	88.62	92.18	1.78
X-4044	94.97	98.53	1.78
X-4045	101.32	104.88	1.78
X-4046	107.62	111.18	1.78
X-4047	114.02	117.58	1.78
X-4048	120.37	123.93	1.78
X-4049	126.72	130.28	1.78
X-4050	133.07	136.63	1.78
X-4103	2.05	7.29	2.62
X-4104	2.84	8.08	2.62
X-4105	3.63	8.87	2.62
X-4106	4.42	9.66	2.62
X-4107	5.23	10.47	2.62
X-4108	6.02	11.26	2.62
X-4109	7.6	12.84	2.62
X-4110	9.19	14.43	2.62
X-4111	10.77	16.01	2.62
X-4112	12.37	17.61	2.62
X-4113	13.95	19.19	2.62
X-4114	15.54	20.78	2.62
X-4115	17.12	22.36	2.62
X-4116	18.72	23.96	2.62
X-4117	20.29	25.53	2.62
X-4118	21.9	27.14	2.62
X-4119	23.47	28.71	2.62
X-4120	25.07	30.31	2.62
X-4121	26.65	31.89	2.62
X-4122	28.25	33.49	2.62
X-4123	29.82	35.06	2.62
X-4124	31.42	36.66	2.62
X-4125	32.99	38.23	2.62
X-4126	34.6	39.84	2.62

專業製造：橡膠 O 環、C 型迫緊、膜片、鐵氟龍、橡膠訂作規格外陸續開模中，請歡迎來電洽詢。

此規格材質 NBR90、VT、SE 若有需要需詢問。

X 型環

X-Ring Size List



單位 unit : mm

材質	橡膠	橡膠 (高壓)	氟橡膠 (耐熱)	矽橡膠
	NBR70	NBR90	VT	SE

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4127	36.17	41.41	2.62
X-4128	37.77	43.01	2.62
X-4129	39.35	44.59	2.62
X-4130	40.95	46.19	2.62
X-4131	42.52	47.76	2.62
X-4132	44.12	49.36	2.62
X-4133	45.7	50.94	2.62
X-4134	47.3	52.54	2.62
X-4135	48.9	54.14	2.62
X-4136	50.47	55.71	2.62
X-4137	52.07	57.31	2.62
X-4138	53.65	58.89	2.62
X-4139	55.25	60.49	2.62
X-4140	56.82	62.06	2.62
X-4141	58.42	63.66	2.62
X-4142	60	65.24	2.62
X-4143	61.6	66.84	2.62
X-4144	63.17	68.41	2.62
X-4145	64.77	70.01	2.62
X-4146	66.35	71.59	2.62
X-4147	67.95	73.19	2.62
X-4148	69.52	74.76	2.62
X-4149	71.12	76.36	2.62
X-4150	72.7	77.94	2.62
X-4151	75.87	81.11	2.62
X-4152	82.22	87.46	2.62
X-4153	88.57	93.81	2.62
X-4154	94.92	100.16	2.62
X-4155	101.27	106.51	2.62
X-4156	107.62	112.86	2.62
X-4157	113.97	119.21	2.62
X-4158	120.32	125.56	2.62
X-4159	126.67	131.91	2.62
X-4160	133.02	138.26	2.62
X-4161	139.37	144.61	2.62
X-4162	145.72	150.96	2.62
X-4163	152.07	157.31	2.62

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4164	158.42	163.66	2.62
X-4165	164.77	170.01	2.62
X-4166	171.12	176.36	2.62
X-4167	177.47	182.71	2.62
X-4168	183.82	189.06	2.62
X-4169	190.17	195.41	2.62
X-4170	196.52	201.76	2.62
X-4204	9.12	16.18	3.53
X-4205	10.69	17.75	3.53
X-4206	12.29	19.35	3.53
X-4207	13.87	20.93	3.53
X-4208	15.47	22.53	3.53
X-4209	17.04	24.1	3.53
X-4210	18.64	25.7	3.53
X-4211	20.22	27.28	3.53
X-4212	21.82	28.88	3.53
X-4213	23.4	30.46	3.53
X-4214	25	32.06	3.53
X-4215	26.57	33.63	3.53
X-4216	28.17	35.23	3.53
X-4217	29.75	36.81	3.53
X-4218	31.34	38.4	3.53
X-4219	32.92	39.98	3.53
X-4220	34.52	41.58	3.53
X-4221	36.1	43.16	3.53
X-4222	37.7	44.76	3.53
X-4223	40.87	47.93	3.53
X-4224	44.05	51.11	3.53
X-4225	47.22	54.28	3.53
X-4226	50.4	57.46	3.53
X-4227	53.57	60.63	3.53
X-4228	56.75	63.81	3.53
X-4229	59.92	66.98	3.53
X-4230	63.1	70.16	3.53

專業製造：橡膠 O 環、C 型迫緊、膜片、鐵氟龍、橡膠訂作規格外陸續開模中，請歡迎來電洽詢。

此規格材質 NBR90、VT、SE 若有需要需詢問。

X 型環

X-Ring Size List



材質	橡膠	橡膠(高壓)	氟橡膠(耐熱)	矽橡膠
	NBR70	NBR90	VT	SE

單位 unit : mm

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4231	66.27	73.33	3.53
X-4232	69.44	76.5	3.53
X-4233	72.62	79.68	3.53
X-4234	75.79	82.85	3.53
X-4235	78.97	86.03	3.53
X-4236	82.14	89.2	3.53
X-4237	85.32	92.38	3.53
X-4238	88.49	95.55	3.53
X-4239	91.67	98.73	3.53
X-4240	94.84	101.9	3.53
X-4241	98.02	105.08	3.53
X-4242	101.19	108.25	3.53
X-4243	104.37	111.43	3.53
X-4244	107.54	114.6	3.53
X-4245	110.72	117.78	3.53
X-4246	113.89	120.95	3.53
X-4247	117.07	124.13	3.53
X-4248	120.24	127.3	3.53
X-4249	123.42	130.48	3.53
X-4250	126.59	133.65	3.53
X-4251	129.77	136.83	3.53
X-4252	132.94	140	3.53
X-4253	136.12	143.18	3.53
X-4254	139.3	146.36	3.53
X-4255	142.47	149.53	3.53
X-4256	145.65	152.71	3.53
X-4257	148.82	155.88	3.53
X-4258	152	159.06	3.53
X-4259	158.35	165.41	3.53
X-4260	164.7	171.76	3.53
X-4261	171.05	178.11	3.53
X-4262	177.4	184.46	3.53
X-4263	183.75	190.81	3.53
X-4264	190.1	197.16	3.53
X-4265	196.45	203.51	3.53
X-4266	202.8	209.86	3.53
X-4267	209.15	216.21	3.53



X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4268	215.5	222.56	3.53
X-4269	221.85	228.91	3.53
X-4270	228.2	235.26	3.53
X-4271	234.55	241.61	3.53
X-4272	240.9	247.96	3.53
X-4273	247.25	254.31	3.53
X-4274	253.6	260.66	3.53
X-4275	266.3	273.36	3.53
X-4276	279	286.06	3.53
X-4312	15.24	25.9	5.33
X-4313	16.81	27.47	5.33
X-4314	18.42	29.08	5.33
X-4315	19.99	30.65	5.33
X-4316	21.59	32.25	5.33
X-4317	23.16	33.82	5.33
X-4318	24.77	35.43	5.33
X-4319	26.34	37	5.33
X-4320	27.94	38.6	5.33
X-4321	29.51	40.17	5.33
X-4322	31.12	41.78	5.33
X-4323	32.69	43.35	5.33
X-4324	34.29	44.95	5.33
X-4325	37.47	48.13	5.33
X-4326	40.65	51.31	5.33
X-4327	43.82	54.48	5.33
X-4328	46.99	57.65	5.33
X-4329	50.16	60.82	5.33
X-4330	53.34	64	5.33
X-4331	56.52	67.18	5.33
X-4332	59.69	70.35	5.33
X-4333	62.87	73.53	5.33
X-4334	66.04	76.7	5.33
X-4335	69.22	79.88	5.33
X-4336	72.39	83.05	5.33

專業製造：橡膠 O 環、C 型迫緊、膜片、鐵氟龍、橡膠訂作規格外陸續開模中，請歡迎來電洽詢。

此規格材質 NBR90、VT、SE 若有需要需詢問。

X 型環

X-Ring Size List



單位 unit : mm

材質	橡膠	橡膠 (高壓)	氟橡膠 (耐熱)	矽橡膠
	NBR70	NBR90	VT	SE

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4337	75.57	86.23	5.33
X-4338	78.74	89.4	5.33
X-4339	81.92	92.58	5.33
X-4340	85.09	95.75	5.33
X-4341	88.27	98.93	5.33
X-4342	91.44	102.1	5.33
X-4343	94.62	105.28	5.33
X-4344	97.79	108.45	5.33
X-4345	100.96	111.62	5.33
X-4346	104.14	114.8	5.33
X-4347	107.32	117.98	5.33
X-4348	110.49	121.15	5.33
X-4349	113.67	124.33	5.33
X-4350	116.84	127.5	5.33
X-4351	120.02	130.68	5.33
X-4352	123.19	133.85	5.33
X-4353	126.37	137.03	5.33
X-4354	129.54	140.2	5.33
X-4355	132.72	143.38	5.33
X-4356	135.89	146.55	5.33
X-4357	139.07	149.73	5.33
X-4358	142.24	152.9	5.33
X-4359	145.42	156.08	5.33
X-4360	148.59	159.25	5.33
X-4361	151.77	162.43	5.33
X-4362	158.12	168.78	5.33
X-4363	164.47	175.13	5.33
X-4364	170.82	181.48	5.33
X-4365	177.17	187.83	5.33
X-4366	183.52	194.18	5.33
X-4367	189.87	200.53	5.33
X-4368	196.22	206.88	5.33
X-4369	202.57	213.23	5.33
X-4370	208.92	219.58	5.33
X-4371	215.27	225.93	5.33
X-4372	221.62	232.28	5.33
X-4373	227.97	238.63	5.33

X 環規格	內徑 I.D.	外徑 O.D.	厚度 w
X-4374	234.32	244.98	5.33
X-4375	240.67	251.33	5.33
X-4376	247.02	257.68	5.33
X-4377	253.37	264.03	5.33
X-4378	266.07	276.73	5.33
X-4379	278.77	289.43	5.33
X-4380	291.47	302.13	5.33
X-4381	304.17	314.83	5.33
X-4382	329.55	340.21	5.33
X-4383	354.97	365.63	5.33
X-4425	113.67	127.65	6.99
X-4426	116.84	130.82	6.99
X-4427	120.02	134	6.99
X-4428	123.19	137.17	6.99
X-4429	126.37	140.35	6.99
X-4430	129.54	143.52	6.99
X-4431	132.72	146.7	6.99
X-4432	135.89	149.87	6.99
X-4433	139.07	153.05	6.99
X-4434	142.24	156.22	6.99
X-4435	145.42	159.4	6.99
X-4436	148.59	162.57	6.99
X-4437	151.77	165.75	6.99
X-4438	158.12	172.1	6.99
X-4439	164.47	178.45	6.99
X-4440	170.82	184.8	6.99
X-4441	177.17	191.15	6.99
X-4442	183.52	197.5	6.99
X-4443	189.87	203.85	6.99
X-4444	196.22	210.2	6.99
X-4445	202.57	216.55	6.99
X-4446	215.27	229.25	6.99
X-4447	227.97	241.95	6.99
X-4448	240.67	254.65	6.99

專業製造：橡膠 O 環、C 型 O 環、迫緊、膜片、鐵氟龍、橡膠訂作規格外陸續開模中，請歡迎來電洽詢。

此規格材質 NBR90、VT、SE 若有需要需詢問。